New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Union City Residents

		Adult/Adolescent *	Pediatric *	Total
⊥.	Current HIV/AIDS Category	Cases %	Cases %	Cases %
	AIDS-Any OI AIDS-CD4 Only HIV Only	72 22 122 37 136 41	0 0 0 0 5 100	72 21 122 36 141 42
	Total	330 100	5 100	335 100
2.	Current Age * Cases %	3. Race/Eth.		atric* Total
	<5 # # 5-12 # # 13-19 # # 20-29 19 6	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown	53 16 0 # # # # # #	0 53 16 27 8 4 254 76
	30-39 92 27 40-49 135 40 50+ 82 24 Unk. 0 0	Total		100 335 100
	Total 335 100			
4.	Patient Group	Adult// Males %	Adolescent Transmis Females	% Total %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	112 46 29 12 12 5 29 12 59 24	0 17 1 0 39 4 32 3	0 112 34 9 46 14 0 12 4 4 68 21 6 91 28
	Total	241 100	88 10	
		Pe Males %	ediatric Transmissi Females %	
	Parent at risk/has AIDS/HIV Risk not reported/other***	# # 0 0	•	# 6 100 0 0 0
	Total	# #	#	# 6 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of June 2004.
- ** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

 $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Union City Residents

				Adult/Ado	lescent*		Pedi	iatric*			Tot	tal
1.	Disease Ca	ategory	Ca	ıses (%)	Deaths (%)	Cases	(%)	Death	ıs (%)	Cases (응)	Deaths (%)
	PCP Other OI t KS Alone No Disease			147 (29) # (#) # (#) 167 (33)	115 (78) # (#) # (#) 45 (28)	#	(0) (#) (#) (0)	# #) (.) : (#) : (#)	147 (168 (24 (167 (33) 5)	115 (78) 132 (79) 20 (87) 45 (28)
	Total			501 (100)	308 (62)	5	(100)		± (#)	506 (1	00)	312 (62)
2.	Age *	Cases	앙	3. Race	/Eth.	Adult/A Cases		Pediatr Cases	cic*	Total Cases	96	
	Under 5	#	#	Whit	e, Not Hispanic	123	25	0	0	123	2.4	
	5-12	#	#		k, Not Hispanic	#	#	#	#	30	6	
	13-19	#	#	Hisp	•	#	#	#	#	352	70	
	20-29	81	16	-	r/Unknown	#	#	0	Ö	#	#	
	30-39	210	42									
	40-49	139	27	Tota	1	501	100	5	100	506	100	
	Over 49	70	14									
	Unknown	0	0									

4.	Patient	Group
----	---------	-------

Total 506 100

Patient Group	Adult/Adolescent Transmission Modes **								
	Males	용	Females	용	Total	용			
Men sex with men (MSM)	206	50	0	0	206	41			
Injection drug user (IDU)	85	21	26	30	111	22			
MSM/IDU	19	5	0	0	19	4			
Heterosexual contact	26	6	35	40	61	12			
Risk not reported/other***	77	19	27	31	104	21			
Total	413	100	88	100	501	100			

	Males	%	atric Transmission Modes Females %	Total	용
Parent at risk/has AIDS/HIV	#	#	# #	#	#
Risk not reported/other***	#	#	0 0	#	#
Total	#	#	# #	5	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with $\widetilde{\text{AIDS}}$ as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Union City Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	13	13	100%
1985	13	13	100%
1986	23	18	78%
1987	22	20	91%
1988	27	26	96%
1989	22	18	82%
1990	32	30	94%
1991	34	31	91%
1992	38	30	79%
1993	47	32	68%
1994	47	32	68%
1995	35	19	54%
1996	27	#	#
1997	22	11	50%
1998	23	#	#
1999	12	#	#
2000	15	#	#
2001	18	#	#
2002	20	#	#
2003	14	#	#
2004	#	#	#
Total	506	312	62%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Union City (Hudson Co.) Residents

1. Age *	Cases	양	2. Race/Ethnicity	Adult/ Cases	Adl*	Pediat Cases	ric*	Total Cases	%
Under 5	5	3	White, Not Hispanic	15	10	0	0	15	10
5-12	0	0	Black, Not Hispanic	#	#	#	#	13	9
13-19	5	3	Hispanic	#	#	#	#	124	82
20-29	41	27	Other/Unknown	#	#	#	#	#	#
30-39	60	39							
40-49	33	22	Total	148	100	5	100	153	100
Over 49	9	6							
Unknown	0	0							
Total	153	100							

Patient Group	Adult/Adolescent Transmission Modes **							
	Males	%	Females %	Total	용			
Men sex with men (MSM)	42	43	0 0	42	28			
Injection drug user (IDU)	16	16	8 16	24	16			
MSM/IDU	#	#	0 0	#	#			
Heterosexual contact	#	#	# #	#	#			
Risk not reported/other***	25	26	17 34	42	28			
Total	98	100	50 100	148	100			
		Pedia	tric Transmission Modes					
	Males	%	Females %	Total	%			
Parent at risk/has AIDS/HIV	#	#	# #	5	100			
Risk not reported/other***	0	0	0 0	0	0			
Total		#	# #	 5	100			

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Union City (Hudson Co.) Residents

1.	Current HI	V/AIDS Ca	ategory		Cases	%	Case	es	%	Cases	8	
	AIDS-Any O AIDS-CD4 O HIV Only	nly			334 167 148	51 26 23		5 0 5	50 0 50	339 167 153	51 25 23	
	Total				649	100		10	100	659	100	
							Adult/	Adl*	Pediat	cric*	To	tal
2.	Age *	Cases	%	3.	Race/Eth	•	Cases	용	Cases	용	Cases	용
	Under 5	6	1		White, No	ot Hispanic	138	21	0	0	138	21
	5-12	#	#			ot Hispanic	#		#	#	43	7
	13-19	8	1		Hispanic		468		8	80	476	72
	20-29	139	21		Other/Unl	known	#	#	#	#	#	#
	30-39	260	39			_						
	40-49	169	26		Total		649	100	10	100	659	100
	Over 49	73	11									
	Unknown	#	#									
	Total	659	100									

Adult/Adolescent * Pediatric *

Total

Adult/Adolescent Transmission Modes **								
Males	90	Females	%	Total	용			
248	49			248	38			
101	20	34	25	135	21			
23	5	0	0	23	4			
37	7	60	43	97	15			
102	20	44	32	146	22			
511	100	138	100	649	100			
	Males 248 101 23 37 102	Males % 248 49 101 20 23 5 37 7 102 20	Males % Females 248 49 0 101 20 34 23 5 0 37 7 60 102 20 44	Males % Females %	Males % Females % Total 248 49 0 0 248 101 20 34 25 135 23 5 0 0 23 37 7 60 43 97 102 20 44 32 146			

	Pediatric Transmission Modes					
	Males	용	Females	%	Total	용
Parent at risk/has AIDS/HIV	#	#	#	#	9	90
Risk not reported/other***	#	#	0	0	#	#
Total	#	#	#	#	10	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.
- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Union City (Hudson Co.) Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis		Number Known Dead	Case-Fatality Rate
Before 1985	14	13	93%
1985	17	16	94%
1986	27	21	78%
1987	27	23	85%
1988	33	29	88%
1989	27	20	74%
1990	42	33	79%
1991	50	41	82%
1992	46	24	52%
1993	63	29	46%
1994	55	30	55%
1995	36	15	42%
1996	27	#	#
1997	42	11	26%
1998	31	7	23%
1999	23	#	#
2000	33	#	#
2001	21	0	0%
2002	31	#	#
2003	13	#	#
2004	#	#	#
Total	659	324	49%